L Number	Hits	Search Text	DB	Time stamp
2	124	queu\$3 near2 server\$1 and connect\$5 near2	USPAT	2004/06/29 10:15
	İ	server and (service\$1 near2 (provision\$3		
3	16	provider\$1)) queu\$3 near2 server\$1 and connect\$5 near2	USPAT	2004/06/29 10:11
3	10	server and (service\$1 near2 (provision\$3	USPAT	2004/06/29 10:11
		provider\$1)) near2 server\$1		
7	7	"5867572"	USPAT	2004/06/29 10:27
8	103	wait\$3 near3 queu\$3 and (web online	USPAT	2004/06/29 10:29
		on-line) near2 (support help agent		
		operator)		
24	24	(software near2 meter\$3) and 709/\$3.ccls.	USPAT	2004/06/29 10:49
25	2	(software near2 meter\$3) and wait\$3 near2	USPAT	2004/06/29 10:50
26	14	queue		
33	36	(software near2 meter\$3) and queue 705/\$3.ccls. and queu\$3 adj1 system	USPAT USPAT	2004/06/29 10:52
34	15	(real?time real adj1 time) near6 updat\$3	USPAT	2004/06/29 11:38 2004/06/29 11:39
•	10	with inventory and (online on-line web)	USFAI	2004/.06/29 11:39
35	15	(real?time real adj1 time dynamic) near6	USPAT	2004/06/29 11:40
		updat\$3 with inventory and (online on-line	001111	2004/00/25 11:40
		web)		
52	62	(on-line online) near6 (sell\$3 sales)	USPAT	2004/06/29 13:53
T 4		near4 system		
54	50	(on-line online) near6 (sell\$3 sales)	USPAT	2004/06/29 14:03
		near4 system and (705/\$3.ccls.		
_	164	709/\$3.ccls.) server with (number near2 connect\$4 with	HCDAM	2004/06/22 15 40
	104	client\$1)	USPAT	2004/06/23 15:40
_	101	server with (number near2 connect\$4 with	USPAT	2004/06/24 16:12
		client\$1) and 709/\$3.ccls.	ODIAI	2004/00/24 10:12
_	12	server\$1 near8 (maximum near6	USPAT	2004/06/23 15:55
		connection\$1) and client\$1 and (limit\$4		
		near8 (access ((number near3 connection\$1)		-
	-	near8 server\$1)))		
_	5	client\$1 and (display\$4 near8 ((number	USPAT	2004/06/23 16:05
_	17	near3 connection\$1) near8 server\$1)) client\$1 and ((display\$4 monitor\$3) near8	IICDAM	2004/06/22 16:00
	1,	((number near6 connection\$1) near8	USPAT	2004/06/23 16:09
		server\$1))		
-	213	client\$1 with ((display\$4) near8 ((number	USPAT	2004/06/23 16:11
		near6 connection\$1) information		
		statistics) near6 server\$1) and		
	6.0	709/\$3.ccls.		
-	67	client\$1 with ((display\$4) near8 ((number	USPAT	2004/06/23 16:12
		<pre>near6 connection\$1) information statistics) near6 server\$1) and (limit\$4</pre>		
		near8 (access ((number near3 connection\$1))		
		near8 server\$1)))		
_	5	client\$1 near8 (display\$4 near8 ((number	USPAT	2004/06/23 16:14
		near6 connection\$1) statistics) near6		= 301,00,20 10.11
		server\$1)		
-	29	client\$1 with (display\$4 near8 ((number	USPAT	2004/06/23 16:19
		near6 connection\$1) information		ļ
		statistics) near6 server\$1) and server\$1		
_	3	<pre>near8 (number near6 connection\$1) client\$1 near3 (see access\$3) near6</pre>	HCDA!!!	2004/06/24 22 21
	٦	(((number near6 connection\$1) statistics)	USPAT	2004/06/24 09:24
		near6 server\$1) and server\$1 near8 (number		
		near6 connection\$1)		
-	28	<pre>client\$1 same (monitor\$3 updat\$3) near6</pre>	USPAT	2004/06/24 09:46
}		(((number near6 connection\$1) statistics)		
[near6 server\$1)		
-	90	(monitor\$3 updat\$3) near6 (((number near6	USPAT	2004/06/24 09:46
_ i	60	connection\$1) statistics) near6 server\$1)	11077.	0004/05/5
_	62	<pre>(monitor\$3 updat\$3) near6 (((number near6 connection\$1) statistics) near6 server\$1)</pre>	USPAT .	2004/06/24 09:47
ĺ		not (client\$1 same (monitor\$3 updat\$3)		
		near6 (((number near6 connection\$1)		
		statistics) near6 server\$1))		
		,,		

_	39	connection\$1) statistics) near6 server\$1)	USPAT	2004/06/24 10:00
		not (client\$1 same (monitor\$3 updat\$3) near6 (((number near6 connection\$1)		
_	115		USPAT	2004/06/24 10:10
		near4 server\$1) not (client\$1 same (monitor\$3 updat\$3) near6 (((number near6		
_	38	<pre>connection\$1) statistics) near6 server\$1)) client\$1 same (display\$3 monitor\$3</pre>		
_	58	updat\$3) near6 (usage near4 server\$1) (client\$1 user\$1) same (display\$3	USPAT	2004/06/24 09:57
	30	monitor\$3 updat\$3) near6 (usage near4 server\$1)	USPAT	2004/06/24 10:06
-	3	(display\$3 monitor\$3 updat\$3) near6 (usage near4 server\$1) with connection\$1 not	USPAT	2004/06/24 09:59
		<pre>(client\$1 same (monitor\$3 updat\$3) near6 (((number near6 connection\$1) statistics)</pre>		
-	3	near6 server\$1)) (display\$3) near6 ((number near6	USPAT	2004/06/24 10:06
		<pre>(connection\$1 session\$1)) near6 server\$1) not (client\$1 same (monitor\$3 updat\$3)</pre>		
	0.5	<pre>near6 (((number near6 connection\$1) statistics) near6 server\$1))</pre>		
_	85	(connection\$1 session\$1)) near6 server\$1)	USPAT	2004/06/24 10:13
		<pre>not (client\$1 same (monitor\$3 updat\$3) near6 (((number near6 connection\$1) statistics) near6 server\$1))</pre>		
_	11	(client\$1 user\$1) same (display\$3 monitor\$3 updat\$3) near6 ((number near3	USPAT	2004/06/24 10:08
_	58	<pre>(connection\$1 session\$1)) near4 server\$1) (client\$1 user\$1) same (display\$3</pre>	USPAT	2004/06/24 10:08
		<pre>monitor\$3 updat\$3) near6 (usage near4 server\$1)</pre>		
_	41	<pre>((number near6 (connection\$1 session\$1)) near6 server\$1) and (server near3 overload\$3)</pre>	USPAT	2004/06/24 10:24
-	13	<pre>(client\$1 user\$1) near4 (line queue) and ((number near6 (connection\$1 session\$1)) near6 server\$1) and (server near3</pre>	USPAT	2004/06/24 10:23
-	7	<pre>overload\$3) ((client\$1 user\$1) near4 (line queue) and ((number near6 (connection\$1 session\$1))</pre>	USPAT	2004/06/24 10:23
		near6 server\$1) and (server near3 overload\$3)) not ((clietn\$1 user\$1) near4 (line queue) and ((number near6		
		<pre>(connection\$1 session\$1)) near6 server\$1) and (server near3 overload\$3))</pre>		
-	3	<pre>((client\$1 user\$1) near4 (wait\$3) and ((number near6 (connection\$1 session\$1)) near6 server\$1) and (server near3</pre>	USPAT	2004/06/24 10:23
		overload\$3)) not ((clietn\$1 user\$1) near4 (wait\$3) and ((number near6 (connection\$1 session\$1)) near6 server\$1) and (server		
-	14	near3 overload\$3)) ((number near6 (connection\$1 session\$1)) near6 server\$1) and (server near3	USPAT	2004/06/24 10:26
-	4	overload\$3) and (single adj1 server) (server near3 overload\$3) and (single adj1	USPAT	2004/06/24 10:26
_	į	server adj1 (architecture system)) server near3 (number near8 connection\$1)	USPAT	2004/06/24 10:26
		<pre>and @py<=1996 and (client\$1 user\$1) near3 (wait\$3 queue)</pre>		
-		server near3 (connection\$1) and @py<=1996 and (client\$1 user\$1) near3 (wait\$3 queue)	USPAT	2004/06/24 10:54
-	2	server near3 (limit\$3 with connection\$1) and @py<=1996 and (client\$1 user\$1) near3 (wait\$3 queue)	USPAT	2004/06/24 10:55
-	4	server near3 (availab\$5) same (client\$1 user\$1) near3 (wait\$3 queue) and @py<=1996	USPAT	2004/06/24 10:57

_	17	, , , , , , , , , , , , , , , , , , , ,	USPAT	2004/06/24 10:57
_	13	user\$1) near3 (wait\$3 queue) and @py<=1998 server near3 (availab\$5) same (client\$1	USPAT	2004/06/24 13:19
		user\$1) near3 (wait\$3 queue) and @py<=1998		2001/00/21 13:15
		not (server near3 (availab\$5) same		
		(client\$1 user\$1) near3 (wait\$3 queue) and @py<=1996)		
_	5		USPAT	2004/06/24 12:52
-	34		USPAT	2004/06/24 12:56
		availab\$5)		1
-	11	notif\$4 with client\$1 with (server\$1 near6 availab\$5) and voice	USPAT	2004/06/24 12:54
_	36	1	USPAT	2004/06/24 13:03
		availab\$5)		2001,00,21 13:03
-	52	'	USPAT	2004/06/24 13:10
		retr\$3) and (server\$1) near8 (busy overload\$3)		
-	49		USPAT	2004/06/24 13:14
		retr\$3) and (server\$1) near8 (busy		
<u> </u>	56	overload\$3) and (connection\$1) updat\$3 near3 status near3 server\$1 same	USPAT	2004/06/24 13:17
	30	client\$1	USPAT	2004/06/24 13:1/
-	5	updat\$3 near3 status near3 server\$1 with	USPAT	2004/06/24 13:17
	_	(overload\$3 availab\$5) same client\$1		0004/05/5
-	3	server near3 (availab\$5 overload\$3 over-load\$3) same (notify\$3 display\$4)	USPAT	2004/06/24 13:21
		same (client\$1 user\$1) near3 (wait\$3		
		queue) and @py<=1998		
-	2		USPAT	2004/06/24 13:25
		same (notify\$3 display\$4) same (client\$1 user\$1) and @py<=1998		
_	0	server near3 (number near8 connect\$4) same	USPAT	2004/06/24 13:27
		(modem\$1) with (retr\$4 redial\$3) and		
	4	<pre>@py<=1998 server near3 (number near8 connect\$4) same</pre>	USPAT	2004/06/24 13:28
	1	(client\$1 user\$1) with (retr\$4 redial\$3)	USFAI	2004/00/24 13:20
		and @py<=1998		
_	7	server near3 (busy overload\$3 full) same (client\$1 user\$1) with (retr\$4 redial\$3)	USPAT	2004/06/24 13:28
		and @py<=1998		
-	26	notification near4 server near4 available	USPAT	2004/06/24 15:42
-	9	server with (number near2 connect\$4)	USPAT	2004/06/24 16:13
		<pre>and(client\$1 near4 (queu\$4 line)) with (wait\$3)</pre>		·
-	18	server\$1 and (number near2 connect\$4) and	USPAT	2004/06/24 16:43
		(client\$1 near4 (queu\$4 line)) with		
_	25	<pre>(wait\$3) server\$1 same client\$1 same service\$1 and</pre>	USPAT	2004/06/24 17:08
		((client\$1 user\$1) near2 ahead) and (queue	ODIAL	2004/00/24 1/:08
		line wait\$3)	!	
_	6	server\$1 with client\$1 near5 wait\$3 near4	USPAT	2004/06/25 08:10
_	53	<pre>connect\$4 and (next near7 (queue line)) server\$1 with client\$1 near5 queue same</pre>	USPAT	2004/06/25 08:10
		(connect\$5)		
-	13	server\$1 near3 (busy overload\$2	USPAT	2004/06/28 10:09
		connection\$1) and client with wait\$1 adj3 queue		
_	26	server\$1 near3 (busy overload\$2	USPAT	2004/06/25 09:11
		connection\$1) and client\$1 with (wait\$3		
		suspend) with queue not (server\$1 near3 (busy overload\$2 connection\$1) and		
,		client\$1 with (wait\$3 suspend) adj3 queue)		
-	9	((technical near2 support)) and client\$1	USPAT	2004/06/25 09:13
	40	with (wait\$3 suspend) with queue	поруш	2004/05/25 20 1
i = i	49	client\$1 with (wait\$3 suspend) with queue and 709/\$3.ccls.	USPAT	2004/06/25 09:14
-	33	busy with (client\$1 user\$1) with	USPAT	2004/06/25 09:16
	[(wait\$3)and 709/\$3.ccls.	Wart =	·
**	67	(customer near2 (support)) and (client\$1 user\$1) with (wait\$3)and 709/\$3.ccls.	USPAT	2004/06/25 09:17
	67	(customer near2 (support)) and (client\$1	USPAT	2004/06/25 09:18
		user\$1) with (wait\$3) and 709/\$3.ccls.		

_	97	(agent\$1 near5 busy) and (client\$1 user\$1	USPAT	2004/06/25 09:48
		customer\$1) with (queue)		
-	74	(agent\$1 near5 busy) and (client\$1 user\$1	USPAT	2004/06/25 09:49
		customer\$1) with (queue) and server\$1		
-	19		USPAT	2004/06/25 10:07
~~	8	"6230287" and queue	USPAT	2004/06/25 10:07
-	35	queu\$3 near2 server\$1 same connect\$5 near2	USPAT	2004/06/29 10:05
		server same service\$1		
	26	, , , , , , , , , , , , , , , , , , , ,	USPAT	2004/06/28 10:30
		connection\$1) and wait\$1 adj3 queue same		
		client\$1		
_	1	server\$1 and wait\$3 adj3 queue and (goods	USPAT	2004/06/28 10:44
		with stock)		
-	48	(online on?line web internet commerce	USPAT	2004/06/28 10:49
	,	website web?site) near4 queu\$3 near5		
	. '	(system line)		
-	90	"4788715" and network\$1	USPAT	2004/06/28 12:37
-	7	(email e-mail) near2 (notification notify	USPAT	2004/06/28 13:46
İ		notifies notifying) same (server near8		
		availab\$5)		
-	12		USPAT	2004/06/29 11:52
		near4 method same (server near8 availab\$5)		
-	6	(email e-mail) near2 (notification notify	USPAT	2004/06/28 13:51
		notifies notifying) near4 method and		
		(server near5 (available availability))		
-	1	(email e-mail) near2 (notification notify	USPAT	2004/06/28 13:56
		notifies notifying) same (client\$1 with		
		connect\$4 with server\$1)		
-	15	(email e-mail) near8 (notification notify	USPAT	2004/06/28 14:03
		notifies notifying) same (server near8		
		(available availability))		
] -	41	(email e-mail) near8 (notification notify	USPAT	2004/06/28 14:10
		notifies notifying) with (client\$1		·
		customer\$1) and (server near8 (available		
1		availability)) and 709/\$3.ccls.		
-	0	(password authentication) with override	USPAT	2004/06/28 14:40
		and (immediate\$2 near3 access\$5 near8		
		server\$1)		
-	42	(F	USPAT	2004/06/28 14:42
		near3 access\$5 near8 server\$1)		
-	4	(notify\$3 notifi\$2) near8 (out near2	USPAT	2004/06/28 16:36
		stock)		
-	1	<pre>(notify\$3 notifi\$2) same (out near2 stock)</pre>	USPAT	2004/06/29 10:04
		and queue		